About NICE Guidance

The National Institute for Health and Clinical Excellence is the organisation responsible for providing national guidance on promoting good health and preventing and treating ill health. NICE produces guidance in three major areas:

• Clinical guidelines – recommendations by NICE on the appropriate treatment and care of people with specific diseases and conditions within the NHS. They are based on the best evidence. While clinical guidelines help health professionals in their work, they do not replace their knowledge and skills.

• Technology appraisals – recommendations on the use of new and existing medicines and treatments within the NHS.

• Public health guidance – this is for those working in the NHS, local authorities and the wider public and voluntary sector. Public health intervention guidance makes recommendations on clear activities (interventions) to promote a healthy lifestyle or reduce the risk of developing a disease or condition. Public health programme guidance deals with broader activities for promoting good health and preventing ill health.

NICE has issued a range of clinical guidelines, technology appraisals and public health guidance of relevance to mental health services with more currently in development. Some are aimed solely at age groups between 0-18, covered by CAMHS, whilst others cover birth to old age.

The technology appraisals have a relatively narrow focus looking at either one intervention (single technology appraisal, STA) or a group of related interventions (multiple technology appraisal, MTA). The implementation of technology appraisals is mandatory, generally over the three months following publication.

By contrast the clinical guidelines cover wider issues of clinical practice and service delivery in relation to different conditions. The guidelines are more developmental in vision with an expectation that it may take time to fully implement all the recommendations. The guidelines also include recommendations from relevant technology appraisals.

The public health guidance is a newer development for NICE and likely to involve partnership working with a number of other agencies.¹

¹ More detail at: <u>http://www.nice.org.uk/Guidance/CG/Published</u> *Quick guide* created February 2008, updated July 2008

Overview of	guidelines and	technology	appraisals	affecting	CAMHS ²
--------------------	----------------	------------	------------	-----------	--------------------

No.	TITLE	AGE RANGE	ISSUE DATE	REVIEW
CG 38	Bipolar disorder management of bipolar disorder in adults, children and adolescents in primary and secondary care	Full age range	July 2006	July 2010
		http://guidance.nice.org.uk/cg38		
CG 28	Depression in children identification and management of depression in children and young people in primary, community and secondary care	5 – 18 yrs	September 2005	Septembe 2009
		http://guidance.nice.org.uk/CG28		
CG 9	Eating disorders core interventions in the treatment and management of	8 years +	January 2004	TBC
	anorexia nervosa, bulimia nervosa and related eating disorders	http://guidance.nice.org.uk/CG9		
CG 31	Obsessive-compulsive disorder core interventions in the treatment of OCD and body dysmorphic disorder (BDD)	Full age range	September 2005	Novembe 2009
		http://guidance.nice.org.uk/CG31		
CG 26	Post-traumatic stress disorder (PTSD) management of PTSD in adults and children in primary and secondary care	Full age range	March 2005	March 2009
		http://www.nice.org.uk/Guidance/CG26		
CG 1	Schizophrenia core interventions in the treatment and management of schizophrenia in primary and secondary care	Working age adults	December 2002	Current
		http://www.nice.org.uk/Guidance/CG1		
CG 16	Self-harm short-term physical and psychological management and secondary prevention in primary and secondary care	Full age range	July 2004	July 2008
		http://guidance.nice.org.uk/CG16		
CG 25	Violence short-term management of disturbed/violent behaviour in	16 years +	February 2005	February 2009
	psychiatric in-patient settings and emergency settings	http://www.nice.org.uk/Guidance/CG		ance/CG25

Quick guide created February 2008, updated July 2008

² In the interests of manageability this overview is not exhaustive and does not include arguably relevant guidelines on alcohol or ante and post natal care.

CLIN	CLINICAL GUIDELINES IN DEVELOPMENT					
NO.	TITLE	AGE RANGE	EXPECTED	REVIEW		
W 10	Attention deficit hyperactivity disorder (ADHD) pharmacological	All ages	February 2008	4 years		
	and psychological interventions in children, young people and adults	http://www.nice.org.uk/guidance/index.jsp? action=byID&o=11632				
W 15	Autism in children and adolescents recognition, referral and diagnosis in	TBC	February 2011	4 years		
	children and adolescents	http://www.nice.org.uk/guidance/index.jsp?				
		action=byID&o=11826				
W 12	Personality disorders - borderline Early identification, clarification and	All ages	January 2009	4 years		
	confirmation of diagnostic criteria, treatment pathways	http://www.nice.org.uk/guidance/index.jsp? action=byID&o=11651				

Ado
and
Child
Programme
Workforce
lational

PUBL	PUBLISHED TECHNOLOGY APPRAISALS					
No.	TITLE	AGE RANGE	ISSUE DATE	Review		
TA 98		0-18	March 2006	March 2009		
		http://www.nice.org.uk/Guidance/TA98				
TA 102	Conduct disorders in children parent-training/education programmes	12 years and under	July 2006	September 2007		
		http://www.nice.org.uk/Guidance/TA102				
TA 97	Depression and anxiety computerised cognitive behaviour therapy (CCBT)	All ages	February 2006	September 2008		
		http://www.nice.org.uk/Guidance/TA97				
TA	Schizophrenia atypical	Working age	June	Мау		
43	antipsychotics	adults	2002	2005		
		http://www.nice.org.uk/Guidance/TA43				

PUBL	PUBLISHED PUBLIC HEALTH INTERVENTION GUIDANCE					
PH	Interventions to reduce substance	25 years and	March	March		
4	misuse among vulnerable young	under	2007	2010		
	people helping young people access support & services, effective individual, family & group support	http://www.nice.org.uk/guidance/index.jsp? action=byID&o=11379				
PH 7	School-based interventions on alcohol encouraging children not to	School age	November 2007	TBC		
	drink, delaying the age of drinking onset, reducing harm caused	http://www.nice.org.uk/Guidance/PH7				
PH 12	Social and emotional wellbeing in primary education protect children	4-11 TBC	December 2007			
	against emotional and behavioural problems, violence and crime, pregnancy,misuse of drugs & alcohol	http://www.nice.org.uk/Guidance/PH12				

PUBLIC HEALTH INTERVENTION GUIDANCE IN DEVELOPMENT					
W 16	Promoting the social and emotional wellbeing of young people in	11-18 TBC	July 2009	TBC	
	secondary education	http://www.nice.org.uk/guidance/index.jsp? action=byID&o=11883			

For more information about this workforce planning product and others in development, please contact:

Barry Nixon, National CAMHS Workforce Lead

barry.nixon@wwl.nhs.uk

Helen Warburton, PA to Barry

helen.warburton@wwl.nhs.uk

Yvonne Anderson, Managing Director, Cernis Limited

yvonne.anderson@cernis.co.uk

Quick guide created February 2008, updated July 2008